

Safety Data Sheet

Clear Rubber Adhesive

Section 1. Identification

Product Identifier Synonyms Manufacturer Stock Numbers	Clear Rubber Adhesive 42077 143334		
Recommended use Uses advised against	Refer to Technical Inform Refer to Technical Inform		
Manufacturer Contact Address	Dynatex <i>a division of</i> Sou 350 Ring Road Elizabethtown, KY, 42701 USA		
	Phone (270) 769-3385	Emergency Phone (800) 424-9300 CHEMTREC	Fax (270) 769-6418

Section 2. Hazards Identification

Classification

Signal Word Pictogram EYE DAMAGE/IRRITATION - Category 2A FLAMMABLE LIQUIDS - Category 4 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (Single Exposure) - Category 3 Warning

Hazard Statements	Causes serious eye irritation Causes skin irritation Combustible liquid May cause respiratory irritation
Precautionary Statements	
Response	 Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If inhaled: Remove person to fresh air and keep comfortable for breathing. If medical advice is needed, have product container or label at hand. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. In case of fire: Use CO2, powfer or water spray to extinguish. Take off contaminated clothing and wash it before reuse.
Prevention	Avoid breathing dust/fume/gas/mist/ vapors/spray. Keep away from flames and hot surfaces - No smoking. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves. Wear protective gloves/eye protection/face protection
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local, regional, national and/or international regulations
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	
Results of PBT and vPvB assessment	PBT: Not applicable. vPvB: Not applicable.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
7085-85-0	Ethyl-2-Cyanoacrylate	50% - 100%
123-31-9	1,4-dihydroxybenzene	< 0.1 %

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

After inhalation	Supply fresh air; consult doctor in case of complaints.
After skin contact	Immediately wash with soap and water, rinse thoroughly.
After eye contact	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing	Call for a doctor immediately.
Information for doctor	Most important symptoms and effects, both acute and delayed Breathing difficulty
	Indication of any immediate medical attention and special treatment needed No further relevant information available.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Unsuitable Extinguishing Media	Water with full jet.
Special hazards arising from the substance or mixture	Nitrogen oxides (NOx)
Advice for firefighters	Protective equipment Wear self-contained respiratory protective device.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation
Environmental precautions	Do not allow product to reach sewage system or any water course.
	Allow to solidify. Pick up mechanically. Ensure adequate ventilation. Do not use cotton or natural fiber cloths for clean up.
Reference to other sections	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Section 7. Handling and Storage

explosions and fires

Precautions for safe handling	Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
Information about protection against	No special measures required.

Requirements to be met by storerooms and receptacles	Store in a cool location. Store only in the original receptacle.
Information about storage in one common storage facility	Store away from oxidizing agents.
Further information about storage conditions	Keep receptacle tightly sealed.
Specific end use(s)	No further relevant information available.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Ethyl-2-Cyanoacrylate	0.2 ppm	None	N/A
	1,4-dihydroxybenzene	2 mg/mm≈ A3	TWA 2 mg/mm≈	N/A
Personal Protective Equipment	Gloves			
General protective and hygienic measures	The usual precautionary m Keep away from foodstuffs Immediately remove all so Wash hands before breaks Avoid contact with the eyes	, beverages and feed iled and contaminate and at the end of wo	l. d clothing.	followed.
Breathing equipment	Not necessary if room is w	ell-ventilated.		
Protection of hands	Impervious gloves The glove material has to b substance/ the preparation Selection of the glove mate of diffusion and the degrad	n. erial on consideration		
	Material of gloves Nitrile rubber, NBR			
	Penetration time of glove n The exact break through tir protective gloves and has t	me has to be found or	ut by the manufacturer	of the
	Not suitable are gloves ma Cotton or natural fibers PVC gloves	ade of the following m	naterials:	
Eye protection	Safety glasses Tightly sealed safety goggl	les		
Body protection	Protective work clothing			

Section 9. Physical and Chemical Properties

Physical State

Liquid

to mixPartition coefficient Water/n-octanolNot determinedVOC%N/AViscosityNot determinedSpecific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/AUELN/AEvaporation RateNot determined	Color	Colorless
SolubilityNot miscible/difficult to mixPartition coefficient Water/n-octanolNot determinedVOC%N/AViscosityNot determinedSpecific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling RangeN/ALELN/AUELN/AFlammabilityNot determinedFlammabilityNot determinedPeromposition TemperatureNot determinedAuto-ignition Temperature0.3 hPa @ 20C	Odor	Characteristic
miscible/difficult to mixPartition coefficient Water/n-octanolNot determinedVOC%N/AViscosityNot determinedSpecific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedBoiling PointUndeterminedBoiling Point>150C >302FBoiling RangeN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Odor Threshold	Not determined
to mixPartition coefficient Water/n-octanolNot determinedVOC%N/AViscosityNot determinedSpecific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedBoiling PointUndeterminedBoiling RangeN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Solubility	Not
VOC%N/AViscosityNot determinedSpecific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C		miscible/difficult to mix
ViscosityNot determinedSpecific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AFlammabilityNot determinedDecomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Partition coefficient Water/n-octanol	Not determined
Specific Gravity1.05Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AFlammabilityNot determinedPercomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	VOC%	N/A
Density Ibs/GalN/APounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Viscosity	Not determined
Pounds per Cubic FootN/AFlash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Specific Gravity	1.05
Flash Point87C 189FFP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Density lbs/Gal	N/A
FP MethodN/ApHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Pounds per Cubic Foot	N/A
pHNot determinedMelting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Flash Point	87C 189F
Melting PointUndeterminedBoiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	FP Method	N/A
Boiling Point>150C >302FBoiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	рН	Not determined
Boiling RangeN/ALELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Melting Point	Undetermined
LELN/AUELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Boiling Point	>150C >302F
UELN/AEvaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Boiling Range	N/A
Evaporation RateNot determinedFlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	LEL	N/A
FlammabilityNot applicableDecomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	UEL	N/A
Decomposition TemperatureNot determinedAuto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Evaporation Rate	Not determined
Auto-ignition TemperatureProduct is not selfignitingVapor Pressure0.3 hPa @ 20C	Flammability	Not applicable
SelfignitingVapor Pressure0.3 hPa @ 20C	Decomposition Temperature	Not determined
Vapor Pressure 0.3 hPa @ 20C	Auto-ignition Temperature	Product is not
		selfigniting
Vapor Density Not determined	Vapor Pressure	0.3 hPa @ 20C
	Vapor Density	Not determined

Note

The above information is not intended for use in preparing product specifications. Contact Soudal Accumetric before writing specifications.

Section 10. Stability and Reactivity

Thermal decomposition / conditions to be avoided	No decomposition if used according to specifications.
Possibility of hazardous reactions	Reacts with alcohols, amines, aqueous acids and alkalis. Reacts with water and acids.
Conditions to avoid	No further relevant information available.
Incompatible materials	No further relevant information available.
Hazardous decomposition products	No dangerous decomposition products known.

Section 11. Toxicological Information

Information on toxicologica effects	Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect.
	Sensitization: Sensitization possible through skin contact.
	Sensilization possible through skin contact.
Additional toxicological information	The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
Carcinogenic categories	IARC (International Agency for Research on Cancer) 123-31-9 1,4-dihydroxybenzene 3
	NTP (National Toxicology Program) None of the ingredients is listed.
	OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

Section 12. Ecological Information

Aquatic toxicity	No further relevant information available.
Persistance and degradibilty	No further relevant information available.
Bioaccumulative potential	No further relevant information available.
Mobility in soil	No further relevant information available.
Additional ecological infomation	Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Other adverse effects	No further relevant information available.
Results of PBT and vPvB assessment	PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

Section 13. Disposal

Waste Disposal Recommendation	Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Uncleaned Packaging Recommendation	Disposal must be made according to official regulations.

Section 14. Transport Information

UN Number	1993
UN Proper Shipping Name	COMBUSTIBLE LIQUID, N.O.S
DOT Classification	N/A
Packing Group	III

Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L

Section 15. Regulatory Information

SARA	Section 355 (extremely hazardous substances): 123-31-9 1,4-dihydroxybenzene
TSCA (Toxic Substances	Section 313 (Specific toxic chemical listings): 123-31-9 1,4-dihydroxybenzene All ingredients are listed.
Control Act)	
Carcinogenic categories	EPA (Environmental Protection Agency) 109-63-7 diethyl etherboron trifluoride I (oral)
	TLV (Threshold Limit Value established by ACGIH) 123-31-9 1,4-dihydroxybenzene A3
	NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.
California Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth or any other reproductive defects. For more information, go to www.P65Warnings.ca.gov

Section 16. Other Information

Revision Date 6/7/2018

Disclaimer The data contained herein is based upon information that Soudal Accumetric believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.